

Copy

G. R. S. 58
 Previous references
 Impl 159-08
 " 434-06
 " 344-09
 " 12-08 7
 Later references
 Impl 130-16, 148

1909
 (Impl)

File No 78-09
 Serial Nos
 21, 28, 29 & 31

GENERAL AND REVENUE SECRETARIAT.

Serial Nos 21, 28, 29 & 31

Part B for Mar 10

SUBJECT

Water Supply Mysore city

21 From the chf Engr no 9561 of 20 12 9

Submits letter sent Comm's letter & estimates
 with plan & estimate amounting to Rs 8207 for
 supplying water to the Lakshminarayana Extension

28 To the chairman, Mysore city Improvements Dept Bd
 no 6726 of 4 2 12

G.R.S. 58-545

Enquires the source from which the cost ^{can} ~~be~~ be met

1909-1910

GENERAL AND REVENUE SECRETARIAT

(mb)

NOTES

File No 78 - 77

FILE HEADING

Water Supply, Mytore City

From

The Chief Engineer of Mytore

No 9561

Dated 20 12. 09 Received 22 12 1909

Diary No 4287

Encls 6

Spare Copies -

Serial No 21

BRIEF ABSTRACT OF LETTER

Forwards San, Commissioners letter & enclosures
submitting plans and estimate amounting to Rs 24011
for supplying water to the Lakshminagar Extension
in the Mytore City with the C S Board's Resolution re-
ferring the same -

NOTES AND ORDERS

W There are no previous papers on
the subject in the Secretariat except mb
59-08 In Mr. Dunge's report ^{the} that file
states that "the extension has been
already provided with a water supply"

ML File No 70 of 1909

Serial
No

V

U

The present estimate is very pro-
bably to place the tanks in con-
junction with the flush tanks as
is stated in the Town Board's Re-
solution of the 29th September 1909.
It is not also clear whether the P.M. &
will carry out the work out of their
Budget grants. There is no specific
provision therefor in the current year's
Town Board Budget. In this con-
nection it is submitted that accord-
ing to the Resolutions recorded at the
Conference of the Chief Engineer and the
Special Sub-Committee appointed by
the Mayor City Council. The
Municipality is not liable for this
charge.

Submitted for orders

ML
23/12/12

2 Further information has been
called for and accordingly vide work

page -

ML
57/14

MS 78-19

(3)

5960

encl

2/18-1-10

3 Dear Mr. Kuchra Ram Rao

The estimate amount
for the extension has been
received from the Chief
Engineer after approval by
the C S B for supplying
water to the Lakshmi Narayan
Extension in the Mysore
City. As Mr. Deering has
reported so far back
as the 15th Apr 1908 (see
Enclosure to Chairman's
letter no 265 dated the 10th
September 1908 to Govt in
the Genl Dept.) that
the extension has been
already provided with a
water supply, doubt has
arisen as to whether the
provision for the
extension was not the
miserable

may a separate esti-
mate has now been
received for the supplying
of water to this extension.
All you please be so good
to explain this matter?
An early reply will oblige

Yours sincerely,

W.H.D.

included in the estimates
for B 7257/ sanctioned
in G O No 2436-8

Mb 344-07-2

dated the 29th January 1908 or in any other estimates sanctioned by him

Will you kindly let me
know whether the Lakshmi-

Extension
from the Chachabaki

near each other or not

road Extension are, iden-

tical, and if not, what

the present estimate re-

ferred from the Chief Engr

is intended for? and as a rough

sketch indicating the relative positions of the several extensions of

from Ducep

Chachabaki

and if so what the fees to which
referred from the Chief Engr
is intended for.

to 57/1/10

To Mr. Krishnamoorti Esq. B.A.

Vice President, Mysore City M.C. C.B.

Serial
No.

D.O. no.

Br 14
2000
24-10

Dear Mr. Mylar Rao

ML 78-09

Dated Mysore

23rd January 1910

(47)

In reply to your letter dated the 18th instant, I have to inform you that the estimate for Rs 8407/- now sent from the Chief Engineer is for supplying water exclusively for that part of the Chetmahalli Extension known as "Lakshimpuram". The water pipe lines now proposed are distinct from the 12" C. I. main already existing in the Chetmahalli Extension.

The latter pipe line, sanctioned in G. P. No. 7436-8 dated the 27th January 1908 was laid for the use of the families displaced from Darnay and Krishnaraj Mohallas and located in the Chetmahalli Extension to the East and South East of

Serial
No.

5- From Mr. Kuchanasamy Rao's reply of the 23rd Inst it seems clear that the present estimate is for a distinct work altogether which is, perhaps, absolutely necessary, requiring has to be fact that a general water-rate is soon to be introduced in the municipality. The source from which the cost of the estimate has to be met is not however stated in the Chief Engineer's Communication -

Submitted for orders -

Md. 6 Please put up a draft 26/10 to Mr. Baerman requesting him to point out the source from which the cost will be met -

28 1. 10 26/10

7 Draft submitted -

Md. 8 Issue

29/1 1 2 10 26/10

28 9 Docket No 6726 dated the 4th Feb. 1910 to the Chairman, Mysore City Municipal Trust Bd

Enquires the source from which the cost of the estimate Rs 8407/-

Serial
No.

Can be met

29/10 Letter no 950 dated the 9th Feb.
1910 from the Chairman

States, in reply, that the cost
of the estimate can be met by a
reappropriation of the current year's
budget grants

" In the foregoing circumstances
draft sanctioning the estimate is
submitted -

Md ong Dewan Rao' 14-2-10 MD
12/2/10 (12 Cr)

1097
15-2-10

2 May be approved by
4/3/10 15/2/10

10 Draft approved by the Board

24
21/2/10

44

Issue

28/3/10

32

31 460 no 8649-52 & 30 3 1910

Sanctions the estimate, the cost
being met by reappropriation and calls
for a reappropriation statement from the
Chairman

11
02/2
0-11-71

9000

Section 10. The Secretary of

General, Daniel A. Brown, Jr.

order

11-71

11-71

General

General Order 11-71

at 11-71

11-71

From the Chief Engineer to the
Department of Public Works

From

To the Chief Engineer, P.W.D.

San Francisco, Cal.

One of the 10.000
of the P.W.D.

To

C. J. Calverton, Chief of the P.W.D.
San Francisco, Cal.

2

From

2 10-10-10

Received

Received

200

Received No. 10

No.

Received No. 10

Sir,

I have the honor to forward the
accompanying plan and estimate amount-
ing to \$10,000 received from the
Chief Engineer to the P.W.D. for equip-
-ing water to the Telegrapher Station
in the Hyde City and to re-
quest that you will be so good as to
obtain the sanction of Government to
the estimate. A copy of the estimate
of the General Ordinary Board on the
subject is herewith enclosed.

I have the honor to be, Sir,

Sir,

Very truly and respectfully,
Yours,


C. J. Calverton

Chief of the P.W.D.
San Francisco, Cal.

200

3

Central Sanitary Board in Mysore




Read -

Letter No 7996 dated the 1st Nov 09 from the Chief Engineer in Mysore forwarding for the approval of the Board a plan and an estimate amounting to Rs 8407 received from the Chairman of the Mysore City Improvements Trust Board, for the supply of water to the Lakshmipuram Extension

Resolution No dated 19-12-09

Resolved that the plan and the estimate for Rs 8407 be approved


For President - Centl Sanr Board



D-5A-32
- 1 2-10 (2.10.10)

G R S 29A]

Sen. 4
1909-1910

From

Secy to the Govt of His Highness
The Maharaja of Mysore,
Genl and Rev Dept

To

The Chairman

Mysore City

Dated

Sept. 28. 10

Despatched

Received

4. 2. 10

General No

6726

No ml 78 23- 28

ENCLOSURE No

Has the honour to
state that the Chief
Engineer has ~~has~~ submitted
for sanction an estimate
amounting to Rs 8407/-
(as approved by the C.S. Bd.)
for supplying water to
the Lakshmi Narayan Extension,
Mysore City and to
request ~~that~~ the sum
from which the cost of
the estimate is to be

The Chairman to be
so good as to report

29/3
not 1/2 Dec 3/2

met if sanctioned -
§ - By Rules"

2000
Fundraising
2000-1-7

JP 950
9 2 10

6

Mysore City Improvement Trust Board,

Chairman's Office,

Dated, Mysore, 19th February 1940

9

From

M. Kantharaj Urs, Esq, B.A.,

Chairman of the Board of Trustees,

Mysore City Improvements

To

C.S. Balasundaram Iyer, Esq, F A,

Secy to the Govt of His Highness the Maharaja

of Mysore, Gen and Rev Departments

Sir,

In reply to your reference No 6726-M L 78-09

-28 dated the 4th Instant, requesting to be informed of the ---

source from which the cost of the estimate amounting to -----

Rs 8,407 for supplying water to the Lakshminuram Extension,

Mysore City, can be met, I have the honour to state that the

same can be met by a re-appropriation of the current year's

budget grant

I have the honour to be,

Sir,

Your most obedient servant,

M. Kantharaj Urs

For Chairman

M. K.

From
The CHAIRMAN of the Board of
Trustees for the Improvement
of the City of Mysore.

Dated } 9th FEB 1910
Despatched }
Received }
General No. 950
Enclosures

Stating that the Cost of
the estimate for supplying water
to the Lakshmanpuram Extension,
Mysore City, can be much - Ge-
re-appropriation of current
Zear Bridge Grant

Diary No of letter replied to 5337

Proceedings of the Government of His Highness
the Maharaja of Mysore.

GENERAL AND REVENUE
SECRETARIAT
(M.G.,)

D. No 12. 2. 1940

Date of issue 30.3.40

Signed by Mr K. M.

READ—

a. file

Letter no 30 dated the
18th December 1939 from the
Sanitary Commⁿ received with
the Chief Engineer's memo no 950
dated the 20th same submitting
plan and estimate (as ab-

ORDER No.

framed by the Central San. &
Board) amounting to Rs 8407,
for supplying water to the
Lakshminarayana Extension in
the Mysore City.

2) Letter no 950 dated the
9th Feb 1940 from the Chair
man

SUBJECT

Chairman, stating that
the cash of the same estimate
can be met by a reappropri-
ation of the current year's
budget grant.

Order No. 8649-52ml78-09

930.340.

The estimate is re-
vised, the cash viz Rs 8407/-
being met by a reappropri-
ation of the current year's
sanctioned grants in the
Trust Board Budget as sug-
gested by the Chairman.

The Reappropriation Bill should be
forwarded on

MU

For Secy
29.12.53

RMV
15/2/60

RMV
25/1/60

To,

The Chief Engineer of Mysore
submitting the plan & the sanction
to the Govt. with a copy of the
abstract Etc.

Chairman, Mysore City Muni. Bd.

